

Literaturverzeichnis Ernährungsleitsätze

Lee. J. (2015). Oropharyngeal colostrum administration in extremely premature infants: an RCT. . Pediatrics. 2015 Feb;135(2):e357-66. doi: 10.1542/peds.2014-2004. PMID: 25624376.: Lee J, Kim HS, Jung YH, Choi KY, Shin SH, Kim EK, Choi JH..

Agarwal. (2001). Agarwal R, Aggarwal R, Deorari AK, Paul VK. Minimal enteral nutrition. Indian J Pediatr. 2001 Dec; 68(12):1159-60. doi: 10.1007/BF02722935. PMID: 11838573.

Acuña-Muga. (2014). Acuña-Muga J et al. J Hum Lact. 2014;30:41-46.

Amissah. (2020). Amissah EA, Brown J, Harding JE. Protein supplementation of human milk for promoting growth in preterm infants. Cochrane Database of Systematic Reviews 2020, Issue 9. Art. No.: CD000433. DOI: 10.1002/14651858.CD000433.pub3.

Arslanoglu (2013). Arslanoglu S, Moro GE, Bellù R et al. (2013) Presence of human milk bank is associated with elevated rate of exclusive breastfeeding in VLBW infants. J Perinat Med 41:129–131. <https://doi.org/10.1515/jpm-2012-0196>

Arslanoglu (2013). Arslanoglu S, Corpeleijn W, Moro G et al. (2013) Donor human milk for preterm infants. Current evidence and research directions. J Pediatr Gastroenterol Nutr 57:535–542. <https://doi.org/10.1097/MPG.0b013e3182a3af0a>

Arslanoglu. (2019). Arslanoglu S, Boquien CY, King C, et al. Fortification of Human Milk for Preterm Infants: Update and Recommendations of the European Milk Bank Association (EMBA) Working Group on Human Milk Fortification. Front Pediatr. 2019;7:76. Published 2019 Mar 22. d.

Baer. (2007). Institute of Medicine (US) Committee on Understanding Premature Birth and Assuring Healthy Outcomes; Behrman RE, Butler AS, editors. Preterm Birth: Causes, Consequences, and Prevention. Washington (DC): National Academies Press (US); 2007. C, A Review of .

Belfort (2016). Belfort MB, Anderson PJ, Nowak VA et al. (2016) Breast Milk Feeding, Brain Development, and Neurocognitive Outcomes: A 7-Year Longitudinal Study in Infants Born at Less Than 30 Weeks' Gestation. J Pediatr 177:133. <https://doi.org/10.1016/j.jpeds.2016.06.045>

Blaymore (2002). Blaymore Bier J-A, Oliver T, Ferguson A, Vohr BR (2002) Human milk reduces outpatient upper respiratory symptoms in premature infants during their first year of life. J Perinatol 22:354–359. <https://doi.org/10.1038/sj.jp.7210742>

Boyle. (2015). Boyle EM, Johnson S, Manktelow B, Seaton SE, Draper ES, Smith LK, et al. Neonatal outcomes.

Caple. (2004). Caple J, Armentrout D, Huseby V et al. (2004) Randomized, controlled trial of slow versus rapid feeding volume advancement in preterm infants. Pediatrics 114:1597–1600.

Charpak. (2005). Charpak N, Ruiz JG, Zupan J, et al. Kangaroo mother care: 25 years after. Acta Paediatr. 2005;94(5): 514–22.

Chowning (2016). Chowning R, Radmacher P, Lewis S, Serke L, Pettit N, Adamkin DH (2016) A retrospective analysis of the effect of human milk on prevention of necrotizing enterocolitis and postnatal growth. J Perinatol 36:221–224. <https://doi.org/10.1038/jp.2015.179>

Cleaveland (2010). Cleaveland K. Feeding challenges in the late preterm infant. Neonatal Netw. 2010 Jan-Feb;29(1): 37-41. doi: 10.1891/0730-0832.29.1.37. PMID: 20085875.

Cobb (2004). Cobb BA, Carlo WA, Ambalavanan N (2004) Gastric residuals and their relationship to necrotizing enterocolitis in very low birth weight infants. *Pediatrics* 113:50–53.

Corpeleijn (2012). Corpeleijn WE, Kouwenhoven SMP, Paap MC et al. (2012) Intake of own mother's milk during the first days of life is associated with decreased morbidity and mortality in very low birth weight infants during the first 60 days of life. *Neonatology* 102:276–281. <https://doi.org/10.1159/000341335>

Darmaun (2018). Darmaun D, Lapillonne A, Simeoni U, Picaud JC, Rozé JC, Saliba E, Bocquet A, Chouraqui JP, Dupont C, Feillet F, Frelut ML, Girardet JP, Turck D, Briand A; Committee on Nutrition of the French Society of Pediatrics (CNSFP), and French Society of Neonatolog.

Deoni (2017). Deoni S, Dean D, Joelsson S, O'Regan J, Schneider N (2017) Early nutrition influences developmental myelination and cognition in infants and young children. *Neuroimage*. <https://doi.org/10.1016/j.neuroimage>. 2017.12.056

Edwards (2010). Edwards TM, Spatz DL. *J Perinat Neonat Nurs*. 2010;24:246-253.

Ehrenkranz (2006). Ehrenkranz, *Pediatrics* 2006;117:1253-61.

ESPGHAN (2013). ESPGHAN Committee on Nutrition, Arslanoglu S, Corpeleijn W, Moro G, Braegger C, Campoy C, et al. Donor human milk for preterm infants: current evidence and research directions. *J Pediatr Gastroenterol Nutr*. 2013 Oct;57(4):535–42.

Fewtrell (2009). Fewtrell MS, Williams JE, Singhal A, Murgatroyd PR, Fuller N, Lucas A (2009) Early diet and peak bone mass: 20 year follow-up of a randomized trial of early diet in infants born preterm. *Bone* 45:142–149. <https://doi.org/10.1016/j.bone.2009.03.657>

Foudil-Bey (2021). Foudil-Bey I, Murphy MSQ, Dunn S, Keely EJ, El-Chaâr D. Evaluating antenatal breastmilk expression outcomes: a scoping review. *Int Breastfeed J*. 2021 Mar 12;16(1):25. doi: 10.1186/s13006-021-00371-7. PMID: 33712049; PMCID: PMC7971107.

Froh (2015). Froh EB et al. *J Pediatr Nurs*. 2015;30:521-523.

Gartner (2005). Gartner LM, Morton J, Lawrence RA et al. (2005) Breastfeeding and the use of human milk. *Pediatrics* 115:496–506. <https://doi.org/10.1542/peds.2004-2491>

Good (2016). Good M, Sodhi CP, Yamaguchi Y et al. (2016) The human milk oligosaccharide 2'-fucosyllactose attenuates the severity of experimental necrotising enterocolitis by enhancing mesenteric perfusion in the neonatal intestine. *Br J Nutr* 116:1175–1187. <https://doi.org/10.1017/S0007114516002944>

Group, S. I. (2013). SIFT Investigators Group. Early enteral feeding strategies for very preterm infants: current.

Hale (2007). Hale TW (Hrsg) (2007) Hale and Hartmann's textbook of human lactation, 1. ed. Hale Publ, Amarillo Tex.

Hay (2008). Hay WW Jr. Strategies for feeding the preterm infant. *Neonatology*. 2008;94(4):245-54. doi: 10.1159/000151643. Epub 2008 Oct 2. PMID: 18836284; PMCID: PMC2912291.

Herrmann (2014). Herrmann K, Carroll K. An exclusively human milk diet reduces necrotizing enterocolitis. *Breastfeed Med*. 2014;9(4):184-190. doi:10.1089/bfm.2013.0121.

Hintz (2005). Hintz SR, Kendrick DE, Stoll BJ et al. (2005) Neurodevelopmental and growth outcomes of extremely low birth weight infants after necrotizing enterocolitis. *Pediatrics* 115:696–703. <https://doi.org/10.1542/peds>. 2004-0569

Hwang (2013). Hwang SS, Barfield WD, Smith RA, Morrow B, Shapiro-Mendoza CK, Prince CB, et al. Discharge.

Hylander (2001). Hylander MA, Strobino DM, Pezzullo JC, Dhanireddy R (2001) Association of human milk feedings with a reduction in retinopathy of prematurity among very low birthweight infants. *J Perinatol* 21:356–362. <https://doi.org/10.1038/sj.jp.7210548>

Isaacs (2009). Isaacs E, *Pediatr Res* 2009;63:308.

Jantscher-Krenn (2012). Jantscher-Krenn E, Zherebtsov M, Nissan C et al. (2012) The human milk oligosaccharide disialyllacto-N-tetraose prevents necrotising enterocolitis in neonatal rats. *Gut* 61:1417–1425. <https://doi.org/10.1136/gutjnl-2011-301404>

Jeurink (2013). Jeurink PV, van Esch BCAM, Rijnierse A, Garssen J, Knippels LMJ (2013) Mechanisms underlying immune effects of dietary oligosaccharides. *Am J Clin Nutr* 98:572S–7S. <https://doi.org/10.3945/ajcn.112.038596>

Kamitsuka (2000). Kamitsuka M, *Pediatrics* 2000;105:379 –384.

Kantorowska (2016). Kantorowska A, Wei JC, Cohen RS, Lawrence RA, Gould JB, Lee HC (2016) Impact of Donor Milk Availability on Breast Milk Use and Necrotizing Enterocolitis Rates. *Pediatrics* 137:e20153123. <https://doi.org/10.1542/peds.2015-3123>

Kavanaugh (1997). Kavanaugh K, Meier P, Zimmermann B, Mead L (1997) The rewards outweigh the efforts: breastfeeding outcomes for mothers of preterm infants. *J Hum Lact* 13:15–21. <https://doi.org/10.1177/089033449701300111>

Kennedy (2005). Kennedy KA, Rapid versus slow rate of advancement of feedings for promoting growth and preventing necrotizing enterocolitis in parenterally fed low-birth-weight infants. *Cochrane Database of Systematic Reviews* 2005.

Kenton (2004). Kenton AB, Fernandes CJ, Berseth CL (2004) Gastric residuals in prediction of necrotizing enterocolitis in very low birth weight infants. *Pediatrics* 113:1848–1849.

Krol (2018). Krol, K.M., Grossmann, T. Psychological effects of breastfeeding on children and mothers. *Bundesgesundheitsbl* 61, 977–985 (2018). <https://doi.org/10.1007/s00103-018-2769-0>.

Kumar (2017). Kumar RK, Singhal A, Vaidya U, Banerjee S, Anwar F, Rao S. Optimizing Nutrition in Preterm Low Birth Weight Infants-Consensus Summary. *Front Nutr*. 2017;4:20.

Labbok (2001). Labbok MH (2001) Effects of breastfeeding on the mother. *Pediatr Clin North Am* 48:143–158. [https://doi.org/10.1016/s0031-3955\(05\)70290-x](https://doi.org/10.1016/s0031-3955(05)70290-x)

Leaf (2012). Leaf A, Dorling J, Kempley S, McCormick K, Mannix P, Linsell L, et al. Early or delayed enteral.

Lee (2015). Lee J et al. *Pediatrics*. 2015;135:e357-e366.

Lemyre (2017). Lemyre B, Moore G. Counselling and management for anticipated extremely preterm birth. *Paediatr Child Health*. 2017;22(6):334-341. doi:10.1093/pch/pxx058.

Lewandowski (2016). Lewandowski AJ, Lamata P, Francis JM et al. (2016) Breast Milk Consumption in Preterm Neonates and Cardiac Shape in Adulthood. *Pediatrics* 138. <https://doi.org/10.1542/peds.2016-0050>

Lucas (1990). Lucas A, Cole TJ (1990) Breast milk and neonatal necrotising enterocolitis. *Lancet* 336(8730):1519–1523

Lucas (2020). Lucas A, Boscardin J, Abrams SA (2020) Preterm Infants Fed Cow's Milk-Derived Fortifier Had Adverse Outcomes Despite a Base Diet of Only Mother's Own Milk. *Breastfeed Med* 15:297–303. <https://doi.org/10.1089/bfm.2019.0133>

Lucas (2020). Alan Lucas, John Boscardin, and Steven A. Abrams. *Breastfeeding Medicine*. May 2020. 297-303. <http://doi.org/10.1089/bfm.2019.0133>.

Lundquist ea (2015). Lundquist A, Böhm B, Lagercrantz H, Forssberg H, Smedler A-C (2015) Cognitive outcome varies in adolescents born preterm, depending on gestational age, intrauterine growth and neonatal complications. *Acta Paediatr* 104:292–299. <https://doi.org/10.1111/apa.12864>

Maffei (2017). Maffei D, Schanler RJ (2017) Human milk is the feeding strategy to prevent necrotizing enterocolitis! *Semin Perinatol* 41:36–40. <https://doi.org/10.1053/j.semperi.2016.09.016>

Mally (2010). Mally PV, Bailey S, Hendricks-Muñoz KD. Clinical issues in the management of late preterm infants. *Curr Probl Pediatr Adolesc Health Care*. 2010 Oct;40(9):218-33. doi: 10.1016/j.cppeds.2010.07.005. PMID: 20875895.

Martins, d. C. (2020). da Cruz Martins, C., de Santana Xavier Ramos, M., Viana Cardoso Amaral, M. et al. Colostrum oropharyngeal immunotherapy for very low birth weight preterm infants: protocol of an intervention study. *BMC Pediatr* 20, 371 (2020). <https://doi.org/10.1186/s1288>.

McGuire (2003). McGuire W, Anthony MY (2003) Donor human milk versus formula for preventing necrotising enterocolitis in preterm infants: systematic review. *Arch Dis Child Fetal Neonatal Ed* 88(1):4

Medicine, A. o. (2011). Academy of Breastfeeding Medicine. ABM clinical protocol #10: breastfeeding the late preterm.

Meinzen-Derr (2009). Meinzen-Derr J, Poindexter B, Wrage L, Morrow AL, Stoll B, Donovan EF (2009) Role of human milk in extremely low birth weight infants' risk of necrotizing enterocolitis or death. *J Perinatol* 29:57–62. <https://doi.org/10.1038/jp.2008.117>

Meier (2003). Meier PP (2003) Supporting lactation in mothers with very low birth weight infants. *Pediatr Ann* 32:317–325. <https://doi.org/10.3928/0090-4481-20030501-08>

Meier et al. (2016). Meier PP, Patel AL, Hoban R, Engstrom JL. Which breast pump for which mother: an evidence-based approach to individualizing breast pump technology. *J Perinatol*. 2016 Jul;36(7):493-499. doi: 10.1038/jp.2016.14. Epub 2016 Feb 25. PMID: 26914013; PMCID: PMC4920726.

Meier. (2017). Meier PP, Johnson TJ, Patel AL, Rossman B. Evidence-Based Methods That Promote Human Milk Feeding of Preterm Infants: An Expert Review. *Clin Perinatol*. 2017 Mar;44(1):1-22. doi: 10.1016/j.clp.2016.11.005. Epub 2016 Dec 27. PMID: 28159199; PMCID: PMC5328421

Meier (2017). Meier P, Patel A, Esquerra-Zwiers A (2017) Donor Human Milk Update: Evidence, Mechanisms, and Priorities for Research and Practice. *J Pediatr* 180:15–21. <https://doi.org/10.1016/j.jpeds.2016.09.027>

Meinzen-Derr (2009). Meinzen-Derr, J *Perinatology* 2009;2957-62.

Mihatsch (2001). Mihatsch WA, Franz AR, Lindner W et al. (2001) Meconium passage in extremely low birth weight infants and its relation to very early enteral nutrition. *Acta Paediatrica* 90:409–411.

Mihatsch (2002). Mihatsch WA, Schoenach P von, Fahnenstich H et al. (2002) The significance of gastric residuals in the early enteral feeding advancement of extremely low birth weight infants. *Pediatrics* 109:457–459.

Mihatsch (2005). Mihatsch W, Monatsschr Kinderheilkd 2005 · 153:1165–1171.

Miracle (2004). Miracle DJ, Meier PP, Bennett PA (2004) Mothers' decisions to change from formula to mothers' milk for very-low-birth-weight infants. *J Obstet Gynecol Neonatal Nurs* 33:692–703. <https://doi.org/10.1177/0884217504270665>

Mishra (2008). Mishra, S., Agarwal, R., Jeevasankar, M. et al. Minimal enteral nutrition. *Indian J Pediatr* 75, 267–269 (2008). <https://doi.org/10.1007/s12098-008-0057-y>.

Nasuf (2018). Nasuf AA, Ojha S, Dorling J. Oropharyngeal colostrum in preventing mortality and morbidity in preterm infants. *Cochrane Database of Systematic Reviews* 2018, Issue 9. Art. No.: CD011921. DOI: 10.1002/14651858.CD011921.pub2.

Okamoto (2007).. Okamoto T, Shirai M, Kokubo M et al. (2007) Human milk reduces the risk of retinal detachment in extremely low-birthweight infants. *Pediatr Int* 49:894–897. <https://doi.org/10.1111/j.1442-200X.2007.02483.x>

Parker (2017). Parker LA et al. *FASEB J.* 2017;31:650.19.

Patel ea (2013). Patel AL, Johnson TJ, Engstrom JL et al. (2013) Impact of early human milk on sepsis and health-care costs in very low birth weight infants. *J Perinatol* 33:514–519. <https://doi.org/10.1038/jp.2013.2>

Patel (2018). Patel AL, Kim JH (2018) Human milk and necrotizing enterocolitis. *Semin Pediatr Surg* 27:34–38. <https://doi.org/10.1053/j.sempedsurg.2017.11.007>

Pedrini (2017). Laura Pedrini, Federico Prefumo, Tiziana Frusca, Alberto Ghilardi, "Counselling about the Risk of Preterm Delivery: A Systematic Review", BioMed Research International, vol. 2017, Article ID 7320583, 12 pages, 2017. <https://doi.org/10.1155/2017/7320583>.

Pérez-Cano (2010). Pérez-Cano FJ, Dong H, Yaqoob P (2010) In vitro immunomodulatory activity of Lactobacillus fermentum CECT5716 and Lactobacillus salivarius CECT5713: two probiotic strains isolated from human breast milk. *Immunobiology* 215:996–1004. <https://doi.org/10.1016/j.imbio.2010.01.004>

Premji (2011). Premji SS, Chessell L. Continuous nasogastric milk feeding versus intermittent bolus milk feeding for premature infants less than 1500 grams. *Cochrane Database of Systematic Reviews* 2011, Issue 11. Art. No.: CD001819.

Quigley (2018). Quigley M, Embleton ND, McGuire W (2018) Formula versus donor breast milk for feeding preterm or low birth weight infants. *Cochrane Database Syst Rev* 6:CD002971. <https://doi.org/10.1002/14651858.CD002971.pub4>

Rettedal (2021). Rettedal, Siren(2021) Immediate "Kangaroo Mother Care" and Survival of Infants with Low Birth Weight. *N Engl J Med.* 2021;384(21):2028-2038. doi:10.1056/NEJMoa2026486.

Rozé. (2012). Rozé JC, Darmaun D, Boquien CY, Flamant C, Picaud JC, Savagner C, Claris O, Lapillonne A, Mitánchez D, Branger B, Simeoni U, Kaminski M, Ancel PY. The apparent breastfeeding paradox in very preterm infants: relationship between breast feeding, early weight gain and neurodevelopment based on results from two cohorts, EPIPAGE and LIFT. *BMJ Open.* 2012 Apr 5;2(2):e000834. doi: 10.1136/bmjopen-2012-000834. PMID: 22492388; PMCID: PMC3232805.

Rozé (2021). Roze, Elise, Reijneveld, S.A., Stewart, Roy, Bos, Arend, 2021/04/13 Multi-domain cognitive impairments at school age in very preterm-born children compared to term-born peers 21 10.1186/s12887-021-02641-z - *BMC Pediatrics*

Schanler (1999). Schanler RJ, Shulman RJ, Lau C (1999) Feeding strategies for premature infants: beneficial outcomes of feeding fortified human milk versus preterm formula. *Pediatrics* 103:1150–1157. <https://doi.org/10.1542/peds.103.6.1150>

Senterre (2014). Senterre T. Practice of enteral nutrition in very low birth weight and extremely low birth weight infants. *World Rev Nutr Diet.* 2014;110:201-14. doi: 10.1159/000358468. Epub 2014 Apr 11. PMID: 24751631.

Shulhan (2017). Shulhan J, Dicken B, Hartling L, Larsen BM. Current Knowledge of Necrotizing Enterocolitis in Preterm Infants and the Impact of Different Types of Enteral Nutrition Products. *Adv Nutr.* 2017;8(1):80-91. Published 2017 Jan 17. doi:10.3945/an.116.013193.

Singhal (2002). Singhal A, Farooqi IS, O'Rahilly S, Cole TJ, Fewtrell M, Lucas A (2002) Early nutrition and leptin concentrations in later life. *Am J Clin Nutr* 75:993–999. <https://doi.org/10.1093/ajcn/75.6.993>

Sisk (2007). Sisk PM, Lovelady CA, Dillard RG, Gruber KJ, O'Shea TM (2007) Early human milk feeding is associated with a lower risk of necrotizing enterocolitis in very low birth weight infants. *J Perinatol* 27:428–433. <https://doi.org/10.1038/sj.jp.7211758>

Spatz (2004). Spatz DL. Ten steps for promoting and protecting breastfeeding for vulnerable infants. *J Perinat Neonatal Nurs.* 2004;18:385-396.

Spatz (2012). Spatz DL. Innovations in the provision of human milk and breastfeeding for infants requiring intensive care. *J Obstet Gynecol Neonatal Nurs.* 2012 Jan-Feb;41(1):138-143. doi: 10.1111/j.1552-6909.2011.01315.x. Epub 2011 Dec 12. PMID: 22151085.

Spatz (2015). Spatz DL, Froh EB, Schwarz J, Houng K, Brewster I, Myers C, Prince J, Olkkola M. Pump Early, Pump Often: A Continuous Quality Improvement Project. *J Perinat Educ.* 2015;24(3):160-170. doi: 10.1891/1058-1243.24.3.160. PMID: 26834437; PMCID: PMC4720864.

Spatz (2017). Spatz, D.L., Evans, A. & Froh, E.B. (2017). Creation of a Regional Human Milk Assembly: A Model to Influence Practice Change in the NICU. 17(5): 417-423. Advances in Neonatal Care. doi: 10.1097/ANC.0000000000000393

Spiegler (2016). Spiegler J, Preuß M, Gebauer C, Bendiks M, Herting E, Göpel W (2016) Does Breastmilk Influence the Development of Bronchopulmonary Dysplasia? *J Pediatr* 169:76. <https://doi.org/10.1016/j.jpeds.2015.10.080>

Stephens (2009). Stephens BE, Walden RV, Gargus RA, Tucker R, McKinley L, Mance M, Nye J, Vohr BR. First-week protein and energy intakes are associated with 18-month developmental outcomes in extremely low birth weight infants. *Pediatrics.* 2009 May;123(5):1337-43. doi: 10.1542/peds.2008-0211. PMID: 19403500.

Stoll (2002). Stoll BJ, Hansen N, Fanaroff AA, Wright LL, Carlo WA, Ehrenkranz RA, Lemons JA, Donovan EF, Stark AR, Tyson JE, Oh W, Bauer CR, Korones SB, Shankaran S, Laptook AR, Stevenson DK, Papile LA, Poole WK. Late-onset sepsis in very low birth weight neonates: the experience of the NICHD Neonatal Research Network. *Pediatrics.* 2002 Aug;110(2 Pt 1):285-91. doi: 10.1542/peds.110.2.285. PMID: 12165580.

Underwood (2013). Underwood MA (2013) Human milk for the premature infant. *Pediatr Clin North Am* 60:189–207. <https://doi.org/10.1016/j.pcl.2012.09.008>

Vohr (2006). Vohr BR, Poindexter BB, Dusick AM et al. (2006) Beneficial effects of breast milk in the neonatal intensive care unit on the developmental outcome of extremely low birth weight infants at 18 months of age. *Pediatrics* 118:e115-23. <https://doi.org/10.1542/peds.2005-2382>

Vohr (2007). Vohr BR, Poindexter BB, Dusick AM et al. (2007) Persistent beneficial effects of breast milk ingested in the neonatal intensive care unit on outcomes of extremely low birth weight infants at 30 months of age. *Pediatrics* 120:9. <https://doi.org/10.1542/peds.2006-3227>

Vohr (2014). Vohr BR., Neurodevelopmental Outcomes of Extremely Preterm Infants,Clinics in Perinatology, Volume 41, Issue 1, 2014,Pages 241-255, ISSN 0095-5108, ISBN 9780323296205,<https://doi.org/10.1016/j.clp.2013.09.003>.

Xu (2020). Xu, Y., Yu, Z., Li, Q. et al. Dose-dependent effect of human milk on Bronchopulmonary dysplasia in very low birth weight infants. BMC Pediatr 20, 522 (2020). <https://doi.org/10.1186/s12887-020-02394-1>.

Zhang (2020). Zhang, Baoquan MSa; Xiu, Wenlong MSa; Dai, Yue PhDb; Yang, Changyi BSa,* Protective effects of different doses of human milk on neonatal necrotizing enterocolitis, Medicine: September 11, 2020 - Volume 99 - Issue 37 - p e22166 doi: 10.1097/MD.0000000000000002.

Allgemeine Literaturempfehlungen

Brimdyr K, Cadwell K, Stevens J, Takahashi Y. (2018) An implementation algorithm to improve skin-to-skin practice in the first hour after birth. Matern Child Nutr. 2018;14(2):e12571.

· **O'Brien, Robson, Bracht, Cruz, Lui, Alvaro, et al. (2018)** Wirksamkeit von Family Integrated Care auf neonatologischen Intensivstationen auf die Ergebnisse von Säuglingen und Eltern: eine multizentrische, multinationale, clusterrandomisierte kontrollierte Studie; Veröffentlicht: 07. Februar 2018 DOI: [https://doi.org/10.1016/S2352-4642\(18\)30039-7](https://doi.org/10.1016/S2352-4642(18)30039-7)

· **Morelius E, Angelhoff C, Eriksson J, Olhager E.** Time of initiation of skin-to-skin contact in extremely preterm infants in Sweden, July 2011 Acta Paediatrica 101(1):14-8 DOI:[10.1111/j.1651-2227.2011.02398.x](https://doi.org/10.1111/j.1651-2227.2011.02398.x)

Mehler ea (2019). Mehler1, Hucklenbruch-Rother1, Trautmann-Villalba3, Becker4, Roth1, Kribs1, Delivery room skin-to-skin contact for preterm infants—A randomized clinical trial, 16.Aug.2019; DOI: 10.1111/apa.14975;

· Aufbau von Bonding auf der neonatologischen Intensivstation, Eine systematische Literaturarbeit; Raphaela Keller / Bachelor of Science Pflege, Bachelor-Thesis 20

Allgemeine Literaturempfehlungen

GBA-Maßnahmen zur Qualitätssicherung SGB V: <http://www.gba.de/informationen/beschluesse/1754/>

AWMF-Leitlinie zur psychosozialen Betreuung:

<https://www.awmf.org/en/clinical-practice-guidelines/detail/ll/024-027.html>

<https://newborn-health-standards.org/standards/infant-and-family-centred-care/overview/>

Roué ea (2017) Roué JM, Kuhn P, Lopez Maestro M, Maastrup RA, Mitánchez D, Westrup B, Sizun J. Eight principles for patient-centred and family-centred care for newborns in the neonatal intensive care unit. Arch Dis Child Fetal Neonatal Ed. 2017 Jul;102(4):F364-F368. doi: 10.1136/archdischild-2016-312180. Epub 2017 Apr 18. PMID: 28420745.

Parker (2020). Timing of milk expression in mothers delivering VLBWI Parker 2020-1
